


# Corrugated Lath Strip™

CLS 3845-18  
CLS 3845-316

Rainscreen Strips For Siding



## Applications

- ✔ Fiber Cement & Cedar Siding

*Corrugated Lath Strip installed over studs creates an air gap for drainage & ventilation behind siding*

## An Air Gap Protects You Against Moisture

Take a lesson from the EIFS industry: a drainage gap drains the wall and prevents moisture damage. The same lesson applies to siding. Plus it reduces maintenance & extends the life of the siding. Create a predictable air gap with Corrugated Lath Strip from MTI and stay dry.



*Corrugated Lath Strip creates a 3/16" or 1/8" air gap*

## The MTI Advantage

- ✔ Creates Rainscreen Air Gap
- ✔ Lightweight
- ✔ Easy to Install



*Bundled in 50' rolls - can be trimmed with a utility knife*

**MTI** MASONRY  
TECHNOLOGY  
INCORPORATED


March 2019

Detail Drawings • BIM • Free Consultation • Videos  
[info@mtidry.com](mailto:info@mtidry.com) 800-879-3348 [MTIdry.com](http://MTIdry.com)

## Installation

- Install Corrugated Lath Strip™ over the water resistive barrier
- Align with framing or fastening pattern of siding
- Attach with staples or other mechanical fasteners
- Install exterior siding or exterior rigid foam insulation per manufacturer's specification



Complete Installation at [MTIdry.com/installation](http://MTIdry.com/installation)




## Technical Information

<b>Material Description</b>	High impact polystyrene sheets, 0.024 inch (0.6 mm) thick, formed with corrugations.		
<b>UV Exposure</b>	Over 9 weeks in accelerated UV testing (ASTM G 154)	<b>Fungi Resistance</b>	Does not support fungal growth (ASTM C 1338)

### Corrugated Lath Strip CLS 3845-18



### Corrugated Lath Strip CLS 3845-316



<b>Depth (drainage gap)</b>	1/8 in (3mm)	3/16 in (5mm)
<b>Roll</b>	50 ft	50 ft
<b>Bundle</b>	250 ft / 5 rolls	250 ft / 5 rolls
<b>Box</b>	1,500 ft / 6 bundles	1,000 ft / 4 bundles
<b>Pallet</b>	18,000 ft	12,000 ft